TO ENTER THE SETTING MODE, PRESS THE "SETTING" BUTTON.





TO ADD A FREQUENCY TO THE LIST

Add	←	DIACOM
Lists		
Delete		
Detox		(CONCOL
Settings		
Start		

	[Select group]		
Select 2	TOXOPLASMOSIS 1		
INFLUENZA VIRUS 1993			
CANDIDA TORULOPSIS GLABRATIS			
New	ECHINOCOCCUS ? multichamber		
5	HUMAN MICROFLORA (1ST RANGE)		
Add	TOXOPLASMOSIS		
	<u> </u>		
Back	Bacterie 🗸 Time 120 sec Set		

- **1. SELECT PATHOGENS GROUP**
- 2. PRESS THE SELECT BUTTON
- **3. SELECT PATHOGEN CLASS**
- 4. SET TIME FOR THE SELECTED FREQUENCY
- 5. PRESS THE ADD BUTTON

TO SEARCH FOR A FREQUENCY, PRESS THE "SEARCH" BUTTON.

	[Select group]			
Select	TOXOPLASMOSIS			
Search +	INFLUENZA VIRUS 1993			
	CANDIDA TORULOPSIS GLABRATIS			
New	ECHINOCOCCUS ? multichamber			
	HUMAN MICROFLORA (1ST RANGE)			
Add	TOXOPLASMOSIS			
Back	Bacterie 🗸 Time 120 sec Set			

HOW TO ADD A NEW FREQUENCY TO THE FREQUENCY LIST.

	[Select group]			
Select	TOXOPLASMOSIS			
Search	INFLUENZA VIRUS 1993			
	CANDIDA TORULOPSIS GLABRATIS			
New 🔶	ECHINOCOCCUS ? multichamber			
	HUMAN MICROFLORA (1ST RANGE)			
Add	TOXOPLASMOSIS			
Back	Bacterie 🗸 🚺 Time 120 sec Set			



Save 2			[Mode:		xx]
Delete	Name	0	enter name	2	Set
	Frequecy 1	3	1000 Hz	¢	Set
	Frequecy 2	6	1000 Hz	6	Set
Back			^		~

- **1. ENTER THE NAME.**
- 2. PRESS THE SET BUTTON.
- **3. SET THE STARTING FREQUENCY.**
- 4. PRESS THE SET BUTTON.
- **5. SET THE ENDING FREQUENCY.**
- 6. PRESS THE SET BUTTON.
- 7. PRESS THE "SAVE" BUTTON.

TO REMOVE ANY ITEM FROM THE LIST, YOU MUST SELECT THE ITEM AND CLICK ON THE "DELETE" BUTTON



TO ADD DETOX FREQUENCIES TO THE LIST, YOU MUST CLICK ON THE "DETOX" BUTTON

Add	VIRUS 1	DIACOM
Lists	VIRUS 2	
	VIRUS 3	
Delete	VIRUS 4	
Detox 🔶		OlACOL
Settings		
Start		



Add	VIRUS 1	DIACOM
Lists	VIRUS 2	
	VIRUS 3	
Delete	VIRUS 4	
Detox	DETOX 1	(OIACOR
Settings	DETOX 2	-
Sectings		
Start		

TO START GENERATION, CLICK ON "START"



SELECT GENERATION MODE FOR "MAGNETO"



AS WELL AS THE MODE OF OPERATION OF THE DISPLAY, IF YOU WANT TO DIM IT, THEN TURN THE SWITCH TO THE "ON" MODE



NOW YOU NEED TO SELECT THE TYPE OF IMPACT (FREQ MODE OR MAGNETO MODE) AND THE DEVICE WILL GO INTO THE GENERATION MODE



IF DURING THE GENERATION PROCESS, IN FREQ MODE, YOU SEE ONE OF THESE ERRORS:

[ERR SHORT CIRCUIT] [ERR CONNECTION]

THIS MEANS THAT THERE IS AN ERROR IN THE CABLE CONNECTION – NO CONNECTION OF CABLES OR A SHORT CIRCUIT OF CABLES.

TO REBOOT OR TURN OFF THE DEVICE, YOU NEED TO CALL THE SIDE MENU.



IT IS ALSO POSSIBLE TO CHECK THE BATTERY LEVEL HERE

